

2011



ROLLER TEAM

ROLLER TEAM

UK

ExPS **EXCLUSIVE TECHNOLOGY** ON ALL MOTORCARAVAN RANGE

The **Extreme Protection System** is the result of **ROLLER TEAM** research; a new technology for building living quarters that guarantees the highest protection for your motorhome.

The **Extreme Protection System** ensures high vehicle performance and provides:

- greater insulation from weather
- better insulation against water ingress
- greater protection from noises that could interfere with driving

Only **ROLLER TEAM** offers a 4 year guarantee with **Extreme Protection System!**



MORE INSULATION
MORE STRENGTH
LESS NOISE
LESS DAMAGE



STYROFOAM in all walls. Better soundproofing and thermal insulation of the vehicle, it prevents any spreading of leaks to the vehicle interiors.



High density **extruded plastic** prevents water getting inside the wall.

Laminated Plastic in the whole perimeter of the walls prevent any contact of the inner part of the walls with the water.



* Similar material with the same technical features on some models

Floor thickness 75 mm and **fibreglass** under the rear overhang (Garage versions) prevent water leaking into the part of the vehicle more exposed and protect against damage from road.

INDEX

AUTO-ROLLER

4 ~ 13

Auto-Roller 200	6 - 7
Auto-Roller 656	8 - 9
Auto-Roller 694	10 - 11
Plus	12
Upholsteries	13

GRANDUCA

14 ~ 21

Granduca 255 P	16 - 17
Granduca 285 P	18 - 19
Plus	20
Upholsteries	21

Range plan and technical data 22 - 25

Notes and mechanical fittings 25 - 26

KEY

 Engine	 Berths
 Homologated seats	 Dining places
 Exterior locker	 Exterior locker bike
 Exterior locker motorscooter	 FLEX SPACE height-adjustable bed system. For variable volume storage (optional)

AUTO-ROLLER

4

5

Smoothly dynamic design
for the 6 overcab
and 3 low profile models.



Low-profile

Auto-Roller **100**

Auto-Roller **200**

Auto-Roller **694**



AUTO-ROLLER



Auto-Roller **400**
Auto-Roller **500**
Auto-Roller **600 G**
Auto-Roller **656**
Auto-Roller **706**
Auto-Roller **707**

Overcab



The ideal range to enjoy both long holidays or short breaks, whether it is a family or a couple looking for comfort and convenience. Attractive designs with both low-profile and overcab models and the choice of engine options and front and rear-wheel drive. Permanent double beds, bunk beds and dinette / double beds are all available throughout the range.

All models feature large washrooms with separate step-in showers with rigid doors and vehicles with the large rear storage locker can be fitted with the optional rise and fall Flex-bed system to increase storage capacity.



AUTO-ROLLER

200

6



7

A compact low-profile model with no sacrifice of comfort.

500x700 mm panoramic skylight.

Kitchen featuring 3-burner hob with glass cover, mini-grill and self-closing drawers.

Low-profile



4



4



5



970x420 mm







Variable volume rear storage with fold-up lower bunk and exterior access from either side.

Table and dinette extension for up to 6 people.

AUTO-ROLLER

656

8

9

Overcab



6





6



6



1220x600 mm









AUTO-ROLLER

694

10 11



The perfect Motorhome for use by both couples and the smaller families.

Kitchen with three burner hob and glass cover, oven with grill, self closing kitchen drawers, 150 litre fridge with separate freezer.

Double bed with slatted base that can be raised for easy access to the storage area that is also accessible from the outside.

500 x 700mm panoramic rooflight.

Low-profile



4



4



6



970x420 mm





Washroom with separate shower and rigid shower door (mod.400/100/707)




Double bed with slatted base for generous Storage(200/694)



Rear bed access steps with stowage space(100/600G)



Self closing kitchen Drawers



FLEX SPACE height-adjustable bed system for variable volume storage, optional feature(100, 600G)



500x700 mm panoramic skylight, standard feature for low profile Ford



Oven with grill or gas mini-grill(model specific)




Cooker top with three burners and glass cover, self closing kitchen drawers, 150 Liters trivalent fridge



LED lighting



Gloss laminated table and kitchen top



Overcab bed with some of the largest sizes in its class, with two windows



Rear locker with Lift up lower bunk (standard feature for 400/656/707)



Rigid shower door, standard Feature



Chrome handles Bronze coloured door trim

Diesel heater (656/706/707)

Combined gas heater/water heater 4000 KW(100/200/400/500/694)

plus

upholsteries

AUTO-ROLLER

13



Table and dinette extension for up to 6 seats or 7 seats



Fridge with curved door



Blu Navy standard



Afra optional

4 different outfits created
for exacting camper-lovers
who like distinctive aesthetics.



Low-profile

Granduca **255 P**

Granduca **265 P**

Granduca **285 P**





GRANDUCA

Granduca 265

Overcab



Eye-catching design that will transform the style of travelling with great attention to detail, safety and reliability.

The Granduca range will appeal to the discerning buyer looking for the ideal Motorhome that offers a high level of comfort.

GRANDUCA

255 P

16

17


The classic low profile model for the discerning Motorhome owner.

Double bed with slatted base that can be raised for easy access to the storage area that is also accessible from the outside.

Kitchen with three burner hob with separate glass cover, oven with grill and extractor fan. Kitchen drawers with self closing and additional central locking. 150 litre fridge with separate freezer.

Open Sky, panoramic rooflight, standard feature on low-profile models.

Low-profile



4



4



6



970x420 mm







GRANDUCA

285 P


18 19

Spacious living with excellent storage facilities.

Twin beds with slatted bases that can join together to form an extra large double bed, optional feature.

Dressing cubicle area and day/night internal separation using the washroom door.

Low-profile



4




4 (5 OPT)



6



920x670 mm







Overcab bed with two openable windows and skylight (model 265)




Two-door trivalent fridge



Rear bed access steps with stowage space



Separate shower with rigid door, dressing cubicle area and day/night internal separation tank to the washroom door(model 285 P)



Internal kitchen storage space accessible from above



Gloss laminated table and kitchen top



LED lighting



Bed with slatted base for generous storage



Automatic wall unit door opening



Oven with integral grill




Coloured cab (Colour Pack), optional feature



Island dinette table with horizontal and crosswise movement feature



Cooker top with three burners with separate glass cover and extractor fan




Kitchen drawers with self closing and additional central closing lock



Hinged skirts with sealed storage compartment (only overcab, optional)



 FLEX SPACE height-adjustable bed system for variable volume storage, optional feature(265/265 P)



Separate shower with rigid door, dressing cubicle area and day/night internal separation tank to the washroom door (285 P)




OPEN SKY panoramic roof, standard feature in low-profile models.



Sundust standard




Ivory optional



CHASSIS			UM	Weight	AUTO-ROLLER 100	AUTO-ROLLER 200	AUTO-ROLLER 694	
	Mechanical unit				Ford Transit	Ford Transit	Fiat Ducato 250	
	Engine		L		2.2 TDCi	2.2 TDCi	2.2MJ / 2.3MJ / 3.0MJ	
	Power rating		kW(CV)		84(115) / 102(140)	84(115) / 102(140)	73(100) / 95(130) / 116(157)	
	Maximum technically permissible weight	(b)	Kg		3500	3500	3500	
	Wheelbase		mm		3300	3300	3800	
	Drive	(c)			FRONT	FRONT	FRONT	
	Towable weight	(e)(g)	Kg		1000	1000	1200	
	Weight unladen in running conditions	(d)(x)(g)	Kg		2780	2700	2900 / 2920 / 2970	
	Posterior track increased	(u)			STD	STD	STD	
	Comfort pack F10-01 / D10-01	(*)		21/27	STD	STD	STD / STD / STD	
	Clima Plus Pack F10-01 / Clima Pack D10-01			20/25	OPT	OPT	OPT / OPT / OPT	
	Media pack F10-01	(*)	kg	6	N.A.	N.A.	OPT / OPT / OPT	
	Automatic pack F10-01	(*)		20	N.A.	N.A.	N.A. / N.A. / STD	
	Safety Pack F10-01 / D10-01	(*)		4/5	N.A.	N.A.	OPT / OPT / OPT	
	DPF - Particulate filter F10-01	(w)(*)			N.A.	N.A.	N.A. / OPT / N.A.	
	Pack Colour F10-01	(*)		10	N.A.	N.A.	N.A. / N.A. / N.A.	
	Dynamic pack				OPT	OPT	N.A. / N.A. / N.A.	
CAB	SEATS	Homologated seats	(d)(g)	N°	4	4	4	
		Homologated seats(Motorbike rack / mass over 3500 kg)	(g)	N°	-	-	4 / -	
		Berths		N°	4	4	4	
	EXTERIOR FEATURES	Internal and External Height	(g)(h)	mm		1950 / 2750	1950 / 2750	1990 / 2750
		Material for walls / roof				Polyester / Polyester	Polyester / Polyester	Polyester / Polyester
		Floor / walls / roof thickness		mm		53 / 31 / 31	53 / 31 / 31	75 / 31 / 31
		Skylight(40x40cm) / Panoramic skylight(oblò 500x700 mm) / Transparent skylight(400x400 mm) / Toilette skylight(28x28 cm)	(*)	N°		- / 1 / 1 / 1	1 / 1 / 1 / 1	- / OPT / 2 / 1
		OPEN SKY, panoramic roof			15	N.A.	N.A.	N.A.
		Living quarters entrance step				Single built-in step	Single built-in step	Single built-in step
		Flyscreen for living quarters door				OPT	OPT	OPT
	LOCKER (USEFUL OPENING)	Door with window			6	-	-	N.A.
		Garage Locker		LxW mm		870X1070 / 570X590	-	-
		Locker		LxW mm		-	970X420	970X420
	INTERNAL FEATURES	Variable volume locker		LxW mm		-	-	-
		Swivelling driver's chair/Swivelling passenger's chair				STD / STD	STD / STD	STD / STD
		Cab seat covers				STD	STD	STD
		Cab separation curtain				OPT	OPT	OPT
		Day / night internal separation	(n)			OPT	OPT	OPT
		Rigid shower cab door				STD	STD	STD
		Cab / living quarters carpet			5	STD / OPT	STD / OPT	STD / OPT
	KITCHEN	Box LCD / 15	(m)			N.A. / OPT	N.A. / OPT	STD / OPT
		FLEX SPACE Rear bed height adjustment	(v)		13	OPT	N.A.	N.A.
		Burners(*= with electric lighting) / gas oven / grill		N°		3 / - / STD	3 / - / STD	3 / STD / STD
	INSTALLATIONS	Trivalent fridge(220V, 12V, gas) (total gross capacity of fridge)	(p)(t)	L		81	81	150
		Standard heating				Combined gas(4 kW)	Combined gas(4 kW)	Combined gas(4 kW)
		1st heating option	(t)			Combined gas(6 kW)	Combined gas(6 kW)	Combined gas(6 kW)
		2nd heating option	(t)			Combined gas+electr. 6KW(4KW+18KW)	Combined gas+electr. 6KW(4KW+18KW)	Combined gas+electr. 6KW(4KW+18KW)
Water heater(boiler) 10 Litres					N.A.	N.A.	N.A.	
Electronic control unit					Analogic	Analogic	Analogic	
12V / 230V inside current sockets					1/4	1/4	1/4	
Gas locker			N° X Kg		1x15 kg	1 x 15 kg	1x15 kg	
Clean water tank capacity(while driving) / wastewater / Chemical WC		(a)(p)(d)	L		100 / 90 / 17	100 / 105 / 17	100 / 105 / 17	
Heating wastewater tank(Anti-Freez Pack)		(j)(*)			N.A.	N.A.	N.A.	
Electric Underfloor Heating		(z)		2	N.A.	NP	N.A.	
CELLULE-CAB		Roofrack with ladder	(i)		5	N.A.	N.A.	N.A.
		Bike rack(max capacity 50 kg)			5	N.A.	OPT	OPT
	Motorbike rack(capacity 120 kg)	(q)(*)		12	N.A.	N.A.	OPT	
	Tow hook(not fitted)	(r)		55	OPT	OPT	OPT	
	Access ramp to garage			40	OPT	N.A.	N.A.	

(**)= With electric lighting (*)=Optional to be requested when ordering vehicle STD= Standard OPT= Optional N.A.= Tecchnically not available - = Not applicable



AUTO-ROLLER 400

AUTO-ROLLER 500



AUTO-ROLLER 600 G

AUTO-ROLLER 656

AUTO-ROLLER 706



AUTO-ROLLER 707

Ford Transit 2.2 TDCi	Ford Transit 2.2 TDCi	Ford Transit 2.4 TDCi	Fiat Ducato 250 2.2MJ / 2.3MJ	Fiat Ducato 250 2.2MJ / 2.3MJ	Fiat Ducato 250 2.2MJ / 2.3MJ
84(115) / 102(140)	84(115) / 102(140)	84(115) / 102(140)	73(100) / 95(130)	73(100) / 95(130)	73(100) / 95(130)
3500	3500	3500	3500	3500	3500
3300	3750	3954	3800	3800	4035
FRONT	FRONT	REAR	FRONT	FRONT	FRONT
1000	1000	1200	1200	1200	1200
2750	2800	3080	2980 / 3000	2980 / 3000	2890 / 2910
STD	STD	N.A.	STD	STD	STD
STD	STD	STD	STD / STD	STD / STD	STD / STD
OPT	OPT	OPT	OPT / OPT	OPT / OPT	OPT / OPT
N.A.	N.A.	N.A.	OPT / OPT	OPT / OPT	OPT / OPT
N.A.	N.A.	N.A.	N.A. / N.A.	N.A. / N.A.	N.A. / N.A.
N.A.	N.A.	N.A.	OPT / OPT	OPT / OPT	OPT / OPT
N.A.	N.A.	N.A.	N.A. / OPT	N.A. / OPT	N.A. / OPT
N.A.	N.A.	N.A.	N.A. / N.A.	N.A. / N.A.	N.A. / N.A.
OPT	OPT	OPT	N.A. / N.A.	N.A. / N.A.	N.A. / N.A.
4	6	5	6	6	7
-	-	- / 6	6 / -	-	-
6	5	6	6	6	7
1990 / 2900	1990 / 2900	1990 / 3020	1990 / 3200	1990 / 3200	1990 / 3200
Polyester / Polyester	Polyester / Polyester	Polyester / Polyester	Polyester / Polyester	Polyester / Polyester	Polyester / Polyester
53 / 31 / 31	53 / 31 / 31	75 / 31 / 31	75 / 31 / 31	75 / 31 / 31	75 / 31 / 31
- / OPT / 2 / 1	1 / OPT / 1 / 1	1 / OPT / 2 / 1	- / OPT / 2 / 1	1 / OPT / 2 / 1	- / OPT / 2 / 1
N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Single built-in step	Single built-in step	Double built-in step	Double built-in step	Double built-in step	Double built-in step
OPT	OPT	OPT	OPT	OPT	OPT
-	N.A.	N.A.	-	N.A.	N.A.
-	-	970x1220(n. 2)	-	-	-
n. 2 720x1070	970x280	-	n. 2 600x1220	970x580(n. 2)	600x1070(n.2)
STD / STD	N.A. / N.A.	N.A. / N.A.	N.A. / N.A.	N.A. / N.A.	N.A. / N.A.
STD	STD	STD	STD	STD	STD
OPT	OPT	OPT	OPT	OPT	OPT
OPT	N.A.	OPT	OPT	N.A.	OPT
STD	STD	STD	STD	STD	STD
STD / OPT	STD / OPT	STD / OPT	/	STD / OPT	STD / OPT
N.A. / OPT	N.A. / OPT	N.A. / OPT	N.A. / OPT	N.A. / OPT	N.A. / OPT
N.A.	N.A.	OPT	N.A.	N.A.	N.A.
3 / - / STD	4 / STD / STD	3 / STD / STD	3 / STD / STD	3 / STD / STD	3 / STD / STD
97(150 OPT)	104	150	97(150 opt)	97(150 opt)	97(150 opt)
Combined gas(4 kW)	Combined gas(4 kW)	Combined gas(4 kW)	Fuel oil (3,5kW)	Fuel oil (3,5kW)	Fuel oil (3,5kW)
Combined gas(6 kW)	Combined gas(6 kW)	Combined gas(6 kW)	N.A.	N.A.	N.A.
Combined gas+electr. 6KW(4KW+18KW)	Combined gas+electr. 6KW(4KW+18KW)	Combined gas+electr. 6KW(4KW+18KW)	N.A.	N.A.	N.A.
N.A.	N.A.	N.A.	STD	STD	STD
Analogic	Analogic	Analogic	Analogic	Analogic	Analogic
1/3	1/3	1/4	1/4	1/4	1/4
1 x 15 Kg	1x15 kg	1x15 kg	1x15 kg	1x15 kg	1x15 kg
100(50) / 105 / 17	105 / 105 / 17	105 / 98+40 / 17	105 / 108 / 17	105 / 108 / 17	105 / 105 / 17
OPT	N.A.	N.A.	N.A.	N.A.	N.A.
N.A.	N.A.	N.A.	N.A.	N.A.	NP
OPT	N.A.	OPT	OPT	OPT	OPT
OPT	OPT	N.A.	OPT	OPT	OPT
N.A.	N.A.	N.A.	OPT	N.A.	N.A.
OPT	OPT	OPT	OPT	OPT	OPT
N.A.	N.A.	OPT	N.A.	N.A.	N.A.



CHASSIS		Mechanical unit		UM	Weight	GRANDUCA 255 P	GRANDUCA 265 P
		Engine				Fiat Ducato 250	Fiat Ducato 250
		Power rating		L		2.3MJ / 3.0MJ	2.3MJ / 3.0MJ
		Maximum technically permissible weight	(b)	kW(CV)		95(130) / 116(157)	95(130) / 116(157)
		Wheelbase		Kg		3500	3500
		Drive	(c)	mm		4035	4035
		Towable weight	(e)(g)			FRONT	FRONT
		Weight unladen in running conditions	(d)(x)(g)	Kg		1200	1200
		Posterior track increased	(u)			3030 / 3080	3110 / 3160
		Comfort pack F10-01 / D10-01	(*)		21/27	STD	STD
		Clima Plus Pack F10-01 / Clima Pack D10-01			20/25	STD / STD	STD / STD
		Media pack F10-01	(*)	kg	6	OPT / OPT	OPT / OPT
		Automatic pack F10-01	(*)		20	OPT / OPT	OPT / OPT
		Safety Pack F10-01 / D10-01	(*)		4/5	N.A. / STD	N.A. / STD
		CAB	SEATS	DPF - Particulate filter F10-01	(w)(*)		
Pack Colour F10-01	(*)				10	OPT / N.A.	OPT / N.A.
Dynamic pack						OPT / OPT	OPT / OPT
EXTERIOR FEATURES	Homologated seats		(d)(g)	N°		N.A. / N.A.	N.A. / N.A.
	Homologated seats(Motorbike rack / mass over 3500 kg)		(g)	N°		4	4
	Berths			N°		4 / -	-
	Internal and External Height		(g)(h)	mm		4	4
	Material for walls / roof					1990 / 2750	1990 / 2750
	Floor / walls / roof thickness			mm		VTR / VTR	VTR / VTR
	Skylight(40x40cm) / Panoramic skylight(oblò 500x700 mm) / Transparent skylight(400x400 mm) / Toilette skylight(28x28 cm)		(*)	N°		75 / 31 / 31	75 / 31 / 31
LOCKER (USEFUL OPENING)	OPEN SKY, panoramic roof				15	- / 1 / 2 / 1	- / 1 / 2 / 1
	Living quarters entrance step					STD	STD
	Flyscreen for living quarters door				6	Single built-in step	Single built-in step
INTERNAL FEATURES	Door with window					OPT	OPT
	Garage Locker			LxW mm		STD	STD
	Locker		LxW mm		STD	STD	
	Variable volume locker		LxW mm		-	970x1130 (n.2)	
	Swivelling driver's chair/Swivelling passenger's chair				970X420 + 280X330	280X330	
	Cab seat covers				-	-	
	Cab separation curtain				STD / STD	STD / STD	
KITCHEN	Day / night internal separation	(n)			STD	STD	
	Rigid shower cab door			5	STD	STD	
	Cab / living quarters carpet				STD / OPT	STD / OPT	
INSTALLATIONS	Box LCD / 15	(m)		13	STD / STD	STD / STD	
	FLEX SPACE Rear bed height adjustment	(v)			N.A.	OPT	
	Burners(*= with electric lighting) / gas oven / grill		N°		3 / STD / STD	3 / STD / STD	
	Trivalent fridge(220V, 12V, gas) (total gross capacity of fridge)	(p)(t)	L		150	150	
	Standard heating				Combined gas(6 kW)	Combined gas(6 kW)	
	1st heating option	(t)			Combined gas+electr. 6KW(4KW+18KW)	Combined gas+electr. 6KW(4KW+18KW)	
	2nd heating option	(t)			N.A.	N.A.	
CELLULE-CAB	Water heater(boiler) 10 Litres				N.A.	N.A.	
	Electronic control unit				Analogic	Analogic	
	12V / 230V inside current sockets				1/4	1/4	
	Gas locker		N° X Kg		1 x 15 Kg	1 x 15 Kg	
	Clean water tank capacity(while driving) / wastewater / Chemical WC	(a)(p)(d)	L		100(50) / 105 + 50 / 17	100(50) / 108 + 50 / 17	
	Heating wastewater tank(Anti-Freeze Pack)	(j)(*)			N.A.	N.A.	
	Electric Underfloor Heating	(z)		2	OPT	OPT	
	Roofrack with ladder	(i)		5	N.A.	N.A.	
	Bike rack(max capacity 50 kg)			5	OPT	N.A.	
	Motorbike rack(capacity 120 kg)	(q)(*)		12	OPT	N.A.	
	Tow hook(not fitted)	(r)		55	OPT	OPT	
	Access ramp to garage			40	N.A.	OPT	

(**)= With electric lighting (*)=Optional to be requested when ordering vehicle STD= Standard OPT= Optional N.A.= Tecchnically not available - = Not applicable



GRANDUCA 285 P

Fiat Ducato 250
2.3MJ / 3.0MJ
95(130) / 116(157)
3500
4035
FRONT
1200
3130 / 3160
STD
STD / STD
OPT / OPT
OPT / OPT
N.A. / STD
OPT / OPT
OPT / N.A.
OPT / OPT
N.A. / N.A.
4
-
4
1990 / 2750
VTR / VTR
75 / 31 / 31
N.A. / 1 / 2 / 1
STD
Single built-in step
OPT
STD
670X920 (n.2)
-
-
STD / STD
STD
OPT
STD
STD
STD / OPT
STD / STD
N.A.
3 / STD / STD
150
Combined gas(6 kW)
Combined gas+electr. 6KW(4KW+18KW)
N.A.
N.A.
Analogic
2/5
1 x 15 Kg
100(50) / 108 + 50 / 17
OPT
OPT
N.A.
OPT
N.A.
OPT
N.A.

GRANDUCA 265

Fiat Ducato 250
2.3MJ / 3.0MJ
95(130) / 116(157)
3500(2.3MJ-3.0MJ) / 4000(3.0MJ)
4035
FRONT
1200
3080(2.3MJ) / 3160(3.0MJ) / 3330(3.0MJ 4000 kg)
STD
STD / STD
OPT / OPT
OPT / OPT
N.A. / STD
OPT / OPT
OPT / N.A.
OPT / OPT
N.A. / N.A.
5(2.3MJ) / 4(3.0MJ)
- / 5
6
1990 / 3200
VTR / VTR
75 / 31 / 31
1 / 1 / 2 / 1
N.A.
Single built-in step
OPT
STD
970x1220 (n.2)
-
-
STD / STD
STD
OPT
STD
STD
STD / OPT
STD / STD
OPT
3 / STD / STD
150
Fuel oil (3.5kW)
Fuel oil (3.9kW)
Fuel oil (5.5kW)
STD
Analogic
1/4
1 x 15 Kg
100(50) / 108 / 17
N.A.
N.A.
OPT
N.A.
N.A.
OPT
OPT

notes

- (b) Maximum total weight of the vehicle not to be exceeded.
- (c) The vehicles with Ford 2.4 TDCi 140HP mechanical unit are fitted with twin rear wheels.
- (d) Certified vehicle weight. Comprises: driver, fuel tank fully filled(60 lt.), fresh water tank filled to 50 lt. (use of special drain valve) and aluminium gas bottles(max. 15 kg.) filled at 90% of their capacity, and certified tolerance(+/- 5%) (2001/116/CE).
Warning: optional items installed are not included in the determination of the load less weight in running order of the vehicle.
- (e) Maximum total trailer weight.
- (g) Provisory data to be confirmed during certification.
- (h) Excluding flue, skylight, roof rack. Warning: check the value indicated with your dealer.
- (i) Maximum luggage rack capacity 40 kg.
- (j) Heated wastewater tank, insulated exhaust pipes and fuel oil heater where included.
- (k) For the AUTO-ROLLER there is a standard provision for installation of the outside light, with pushbutton and wiring integrated in the control panel.
- (m) All vehicles prepared for installation of TV aerial on the roof(indicated inside by a sticker).
- (n) Internal area separation system with stiff door for the GRANDUCA 285 P models.
- (p) Data are provided by the manufacturer of the fixture.
- (q) It is not possible to combine with the towing hook.
- (r) It is not possible to combine with the motor bike rack
- (t) If optional it is to be considered in replacement of the equipment supplied as standard.
- (v) It is a system for raising and lowering the rear bed through a handle to obtain more or less space in the garage.
- (w) Not compatible with the optional automatic gearbox.
- (x) The vehicle in Running Conditions must have the fresh water tank filled to its minimum capacity: 50 litres, using the special drain tap.
- (z) Carpet heated with electric film.



COMFORT PACK F10-01

AUTO-ROLLER: Wider track, Fix&Go, special camping tyres. central locking with remote control, power windows, athermic windows, ABS, driver's AIRBAG, driver and passenger's seats with fore and aft adjustment and reclining backrest, height adjustable driver's seat, cruise control. Only for vehicles with swivel seats: driver and passenger's seats with double armrest, height-adjustable passenger's seat.

GRANDUCA: Wider track, Fix&Go, special camping tyres. Central cab locking with remote control, power windows, athermic windows, ABS, driver's AIR BAG, driver and passenger's seats with fore and aft adjustment, reclining backrest and double armrest, height-adjustable driver's seat, painted bumper, cruise control. Only for vehicle 3.0 MJ: more powerful battery.

The comfort pack, in terms of contents, depends on the model.

CLIMA PLUS PACK Double electric wing mirror with defrosting, manual air conditioner.

SAFETY PACK Passenger's AIRBAG.

AUTOMATIC PACK Automatic gearbox, leather steering wheel and gearshift knob. Only for vehicle 3.0 MJ.

MEDIA PACK Radio with CD player, (4 speakers), radio controls on steering wheel, radio aerial in wing mirror. Media Pack available only if ordered with clima plus.

COLOUR PACK GRANDUCA: Aluminium metallised cab and bumper.

DPF Particulate filter (not available with the Automatic Pack). DPF not available with automatic pack available only on versions 2.3 and 3.0 MJ.

NOTES: The standard FIAT chassis has a 60 litre fuel tank with a view to increasing payload while still guaranteeing high running autonomy.



COMFORT PACK Camping tyres, Fix&Go, central locking with remote control, power windows, athermic windows, electric mirror with defrosting, driver and passenger's seats with horizontal positioning, reclining backrest and height adjustment, Cruise Control. Trip Computer, ABS, driver's AIRBAG.

CLIMA PACK Air conditioning.

DYNAMIC PACK Radio with CD player, passenger's AIRBAG, colored front grille, Double electric wing mirror, front foglamps.



All the information and photos shown herein are to be considered as merely indicative and do not constitute contractual specifications. Trigano S.p.A. reserves the right to make the technical and configuration changes considered appropriate to its vehicles and to change the equipment the vehicles are provided with at any time and with no official notice. Owing to the above, all the information concerning the specifications and equipment of every motorcaravan must be requested before purchase from the dealer, who, acting as sole point of reference, will confirm or rectify the data published herein, updating the customer on the actual features and equipment of the vehicle he/she is interested in and for which negotiations are ongoing.

Trigano S.p.A. declines any liability concerning changes, including additions, and/or conversions made after the printing of this document and/or delivery of the vehicle. Weights and dimensions are subject to change due to the fact that the vehicles are manufactured using natural materials. The assembly of optional accessories causes the weight of the vehicle to increase, thus reducing loading capacity. The indication of weights and sizes are susceptible to changes owing to the fact that natural materials are used in manufacturing the vehicles, therefore performance and dimensions can vary in factory manufacturing with a tolerance of +/- 5%. Important note: The optional items fitted are not included in the definition of the vehicle empty weight. Their weight must therefore be included in the useful load. All users must adjust the load and number of passengers carried to the vehicle carrying capacity minus the weight of complementary equipment installed. For user safety, you are in any case recommended not to exceed the technically permissible maximum weight stated by the manufacturer. Fitting, removing or alterations carried out c/o unauthorised workshops may compromise your safety and at the same time lead to invalidation of the warranty. Trigano S.p.A. reserves, with no official notice and at any time, to make all the technical and/or furnishing changes considered appropriate on the models shown herein. Therefore, the information, photos and data given are to be considered as merely indicative, they are not binding and do not constitute contractual specifications. Trigano S.p.A. also declines any liability concerning changes, including additions, and/or conversions made after the printing of this document and/or delivery of the vehicle.

All data and photos refer to vehicles entering production as of September 2010. Despite careful proofreading, it is not possible to exclude the presence of printing errors. Some of the models photographed in this catalogue may be shown with equipment classed as optional. Trigano reserves the right to introduce changes at any time to the technical and configuration specifications, to the equipment provided with the vehicles and, more generally, to the products for their continued improvement.

Given the above, the catalogue is not a contractual document.

At the time of purchase, the dealer, acting as sole point of reference, must detail the exact equipment and specifications of the vehicle the Customer intends to buy. In order to be more knowledgeable about the ROLLER TEAM product we recommend before purchasing your motorhome that you read the updated version in the Owner's Handbook which is available on our website: www.rollerteammotorhomes.co.uk

Here you can find all the technical details and information needed for the correct use of the motorhome.

***For further information about our vehicles and updated specifications,
please consult our web site www.rollerteammotorhomes.co.uk***

The information and photos provided are indicative and not binding. Trigano reserves the right to introduce changes at any time to the technical and configuration specifications, to the equipment provided with the vehicles and, more generally, to the products for their continued improvement. Despite careful proofreading, it is not possible to exclude the presence of printing errors. Trigano S.p.A. also declines any liability concerning alterations and/or conversions brought about at a subsequent time not meeting current regulations.



Trigano S.p.A. operates with an Integrated Quality, Environment and Safety Management System by the new certification body TUV



TRIGANO SpA Loc.Cusona, 53037 - San Gimignano (Siena) Italy
Tel. +39 0577 6501 - Fax +39 0577 650200
www.rollerteammotorhomes.co.uk